

XT4 RUGGED MOBILE COMPUTER

Purpose-Built for Demanding Workflow

Janam's XT4 is a next-generation rugged mobile computer purpose-built for tough environments – where speed, accuracy and uptime matter. Designed to maximize productivity across industries, including warehousing and logistics, transportation, retail, hospitality and field service, XT4 combines a brilliant 6-inch touchscreen display, lightning-fast barcode scanning and powerful wireless connectivity to help mobile workers perform tasks faster, smarter and more efficiently.

With support for 5G, Wi-Fi 6E and private LTE networks over CBRS, XT4 delivers low-latency, high-bandwidth communication for real-time access to critical business systems, even in dense or remote environments. Its enterprise-class Qualcomm® octa-core processor enables rapid application response and superior GPU and AI performance for demanding workflow and evolving business needs. And with a 5200mAh intelligent, hot-swappable battery, XT4 powers through extended shifts without interruption.



- Sleek and lightweight only 10.5 ounces
- NFC HaloSense™ technology
- HID® OMNIKEY® Secure Element
- Extended-shift, hot-swappable battery
- Backward-compatible with XT3 accessories



POWERED BY ANDROID

Android 14 (Upgradable to 18)



BUILT-IN NFC READER

Janam's HaloSense™ technology with dual-activated NFC antennas on front and back of device



ULTRA-POWERFUL PROCESSOR

Qualcomm 6490 octa-core, 2.7GHz



JANAM

BRILLIANT DISPLAY

Ultra-bright, daytime-readable 6-inch screen



NEXT-GEN WIRELESS

Wi-Fi 6/6E with 2x2 MU-MIMO



ROBUST BARCODE SCANNING

Honeywell 1D/2D imager



BLUETOOTH-ENABLED

Bluetooth 5.2 (BLE)



ULTRA-RUGGED

Multiple 5' drops to concrete



BUILT TO THRIVE

Sealed to IP67 standard against dust and liquids



CELLULAR CONNECTIVITY

Support for 5G and private LTE networks over CBRS



HIGH-PERFORMANCE CAMERAS

16MP/8MP front- and rear-facing



PRECISE POSITIONING

GPS, A-GPS, BeiDou, GLONASS, Galileo





XT4 RUGGED MOBILE COMPUTER

Built to Perform

Designed to perform in fast-paced, line-of-business applications, XT4 is ideal for inventory management, route optimization, proof of delivery, asset tracking, and more. Its powerful processing platform and enterprise-ready features help organizations of all types and sizes modernize operations and address evolving workforce demands.

With IP67 sealing, a wide operating temperature range and the ability to survive 5-foot drops to concrete, XT4 thrives in tough environments. Its 5200mAh battery is hot-swappable, allowing users to replace it mid-shift without losing power or productivity.

Seamless Migration

Backward compatible with XT3 accessories, including GT1 and GTX mobile entry pedestals and charging cradles, XT4 protects existing hardware investments and simplifies fleet upgrades.





XT4 Specifications

TECHNICAL	
Operating System	Android 14 with Google Mobile Services; Upgradable to Android 18; Android EnterpriseRecommended
Processor	2.7GHz Qualcomm 6490 octa-core
Memory	8GB/128GB
Expansion	User-accessible microSD card slot up to 2TB
SIM/SAM Slots	1 eSIM; 1 Nano; 2 Mini
Power	5200mAh rechargeable and hot-swappable Li-ion battery with Intelligent Battery technology
PHYSICAL	

PHYSICAL		
Dimension	6.5" L x 3.14" W x .7" D / 167.1mm L x 79.8mm W x 18.6mm D	
Weight	10.5oz / 299g including battery	
Display	6 inch FHD+ (1080x2160)	
Touch Panel	Multi-touch capacitive touch screen	

ENVIRONMENTAL		
Operating Temperature	-4º to 140º F / -20º to 60º C	
Storage Temperature	-40° to 158° F / -40° to 70° C	
Humidity	Non-condensing, 95%	
Drop	Multiple 5ft / 1.5m drops to concrete on all sides	
Water & Dust	IP67	
Flectro Static Discharge (FSD)	+/- 15kV air: +/- 8kV contact	

INTERFACE FEATURES	
Audio	USB-C headset jack; speaker; dual-microphone with noise cancellation and push-to-talk (PTT) support
Alerts	Vibration; LED indicators
LED Indicators	Dual-color Dual-color
Buttons	Right (Scan + Power); Left (Scan + Up/Down)
Motion Sensor	Accelerometer; Light Sensor; Proximity Sensor: Gyroscope: Digital Compass

SAFETY / REGULATORY	
FCC/IC, ENACOM, RCM, ANATEL, SUBTEL	
CE/CB, WPC/BIS, CITC, NRCAN, CEC, DOE, WEEE	
ATEX Zone 2	
RoHS; China RoHS	

DATA CAPTURE	
lmager	Honeywell N5703 1D/2D imager; Multi Barcode Scanning
RFID/NFC	ISO14443A/B ISO15693, FeliCaTM (IDm); MIFARE Classic®; MIFARE DESFire® 0.6; MIFARE DESFire® EV1 (32 bit CSN); HID® OMNIKEY® Secure Element. Support for Apple Value Added Services (VAS) and Enhanced Contactless Polling (ECP1.0 and ECP2.0) and Google Smart Tap
Cameras	16MP color rear-facing with user-controllable LED flash and 8MP front-facing camera; Time of Flight (ToF) sensor (Optional)

NETWORK COMMUNICATION		
USB	USB 3.0 OTG	
WWAN	5G FR1; 4G LTE-FDD; LTE-TDD; WCDMA; CDMA2000 1x EV-DO Rev A BC0; CDMA1X; GSM/EDGE/GPRS	
WLAN	802.11a/b/g/n/ac/d/h/i/k/r/v/w/mc/ax ; 2x2 MU-MIMO; Wi-Fi 6E	
Security	WEP; WPA/WPA2 Personal /Enterprise (TKIP and AES); WPA3 Personal/Enterprise; EAP-TTLS; EAP-TLS; WWAN Only: EAP-SIM, EAP-AKA; WPA3 Enterprise 192-bit mode (GCMP256); EAP-TLS; Enhanced Open (OWE)	
WPAN	Bluetooth v5.2 (BLE)	
GPS	GPS, GLONASS, Galileo and Beidou, QZSS Dual-band GNSS, a-GPS, supports XTRA	

ACCESSORIES	
Single-Slot USB/Ethernet Cradle Kit	Four-Slot Battery Charger
Five-Slot Charging Cradle Kit	Handstrap
Trigger Handle	

JANAM

Janam Technologies 999 South Oyster Bay Road Bethpage, NY 11714 Phone: +1.877.JANAM.99 Local: +1.516.677.9500 Fax: +1.516.320.8031 Email: inquiries@janam.com Contact Technical Support: NA: +1.866.915.5311 EMEA: +44.1202.946945 Email: janamcare@janam.com